

7. ANNEXES

- PAIN OUT Outcome Questionnaire
- PAIN OUT Process Questionnaire

ⁱ Le/la patient/e peut être ajouté/e à la base de données PAIN OUT si les 3 critères suivants sont remplis au moment du screening :

S1 Données récoltées le premier jour postopératoire et patient/e hospitalisé/e à l'étage depuis au moins 6 heures

S2 Patient/e âgé/e de 18 ans ou plus

S3 Consentement obtenu auprès du/de la patient/e

INFORMATIONS ET ACCORD DU PATIENT

Madame, Mademoiselle, Monsieur,

Nous aimerions que vous participiez à notre étude sur le confort des patients après la chirurgie. Le but de cette étude est d'améliorer la prise en charge de la douleur après chirurgie dans cet établissement.

Votre participation est volontaire et toutes les informations vous concernant resteront anonymes. Cela signifie que votre nom ou toute autre forme d'identification ne seront pas dans les dossiers que nous garderons.

Vos réponses à ce questionnaire ne seront pas divulguées au personnel médical ou infirmier qui vous traite dans cet établissement.

Nous vous assurons que l'équipe soignante vous traitera de la même manière que vous choisissiez de participer ou pas à cette étude.

Nous vous remercions d'envisager de participer à cette étude.

QUESTIONNAIRE DU PATIENT

Les questions suivantes concernent la douleur que vous avez ressentie depuis votre intervention chirurgicale.

P1. Sur cette échelle, veuillez indiquer la **douleur la plus forte** que vous avez ressentie depuis votre intervention

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucune douleur

pire douleur possible

P2. Sur cette échelle, veuillez indiquer la **douleur la plus faible** que vous avez ressentie depuis votre intervention::

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucune douleur

pire douleur possible

P3. Avec quelle fréquence avez-vous ressenti une **douleur intense** depuis votre intervention ?
Entourez votre meilleure estimation du pourcentage de temps pendant lequel vous avez ressenti une **douleur intense**:

0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

pas de douleur intense

toujours douleur intense

P4. Entourez le chiffre qui décrit le mieux l'intensité avec laquelle la douleur **vous a gêné ou empêché** de faire les activités suivantes depuis votre intervention ...

a. **mouvements dans votre lit** comme vous tourner, vous asseoir, vous repositionner:

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas de gêne

empêche totalement

b. **respirer profondément** ou **tousser**:

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas de gêne

empêche totalement

c. **dormir**:

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas de gêne

empêche totalement

d. Êtes-vous **sorti du lit** depuis votre intervention?

Oui Non

Si oui, à quel point la **douleur vous gêne ou vous empêche de faire des activités hors du lit** comme marcher, s'asseoir sur une chaise, être debout devant le lavabo:

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas de gêne

empêche totalement

QUESTIONNAIRE DU PATIENT

P5. La douleur peut affecter votre humeur et vos émotions.
Sur cette échelle, entourez le chiffre qui décrit le mieux à quel point la **douleur** depuis votre intervention **vous rend** ...

a. **anxieux**

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas du tout **extrêmement**

b. **désemparé**

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas du tout **extrêmement**

P6. Avez-vous eu l'un des **effets secondaires** suivants depuis votre intervention?
Entourez "0" si non ; si oui, entourez le chiffre décrivant le mieux la sévérité de cet épisode:

a. **Nausée**

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucun **sévère**

b. **Somnolence**

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucun **sévère**

c. **Démangeaisons**

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucun **sévère**

d. **Vertige**

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucun **sévère**

P7. Depuis votre intervention, quel **soulagement de votre douleur** avez-vous obtenu ?
Entourez le pourcentage qui décrit le mieux le soulagement de votre douleur par l'ensemble de vos **traitements antalgiques** combinés (traitement médical et non médical):

0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

aucun soulagement **soulagement complet**

P8. Auriez-vous aimé avoir reçu **plus d'antalgiques** que vous n'en avez reçu ?

Oui Non

P9. Avez-vous été **informé** sur les possibilités de **traitement de votre douleur**?

Oui Non

QUESTIONNAIRE DU PATIENT

P10. Avez-vous été **autorisé à participer aux décisions concernant le traitement de votre douleur** autant que vous le souhaitiez ?

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

pas du tout **complètement**

P11. Entourez le chiffre qui décrit le mieux votre **satisfaction du traitement antalgique** depuis votre intervention:

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

extrêmement insatisfait **extrêmement satisfait**

P12. Avez-vous utilisé ou reçu des **moyens non médicaux pour** soulager votre **douleur**?

Oui Non

Si oui, **cochez tout** ce qui s'applique :

- | | | |
|--|--------------------------------------|---|
| <input type="checkbox"/> application de froid | <input type="checkbox"/> méditation | <input type="checkbox"/> respiration profonde |
| <input type="checkbox"/> chaleur | <input type="checkbox"/> acupuncture | <input type="checkbox"/> prière |
| <input type="checkbox"/> parler à l'équipe médicale | <input type="checkbox"/> marche | <input type="checkbox"/> massage |
| <input type="checkbox"/> parler à des amis ou familiaux | <input type="checkbox"/> relaxation | <input type="checkbox"/> image mentale |
| <input type="checkbox"/> stimulation électrique transcutanée (TENS) | | |
| <input type="checkbox"/> distraction (comme regarder la TV, écouter de la musique, lire) | | |
| <input type="checkbox"/> autre (veuillez décrire): <input type="text"/> | | |

P13. Avez-vous eu des **douleurs persistantes pendant 3 mois ou plus** avant de venir à l'hôpital pour cette intervention ?

Oui Non

a. Si oui sur cette échelle, veuillez indiquer **l'intensité de la douleur** la plupart du temps?

0	1	2	3	4	5	6	7	8	9	10
---	---	---	---	---	---	---	---	---	---	----

aucune douleur **pire douleur possible**

b. Si oui, **à quel endroit** était localisée cette **douleur persistante**?

endroit de l'intervention ailleurs les deux (endroit de l'intervention et ailleurs)

Merci pour votre participation et vos commentaires

To be filled in by the research assistant

Research assistant code:

Patient was interviewed: Yes No

If yes, please mark the reason(s):

- Too ill / weak Too much pain Requested assistance Did not understand scales
 Technical reasons (patient has no eyeglasses / is blind; can not sit up; is illiterate; arm is in cast; etc)

A DATE OF DATA COLLECTION: Y M D D

B TIME OF DATA COLLECTION: H M M

C WARD WHERE DATA IS COLLECTED:

D RESEARCH ASSISTANT CODE:

PATIENT CODE:

ROOM NUMBER:

SCREENING - INCLUSION CRITERIA

	yes	no	
<p>S1 Time of data collection is POD1 AND patient is 6 hrs (minimum) in the ward</p> <p>End surgery: Date: <input type="text" value="2"/> <input type="text" value="0"/> <input type="text" value="1"/> Y <input type="text" value=""/> <input type="text" value=""/> <input type="text" value=""/> M <input type="text" value=""/> <input type="text" value=""/> D <input type="text" value=""/> <input type="text" value=""/> D Time: <input type="text" value=""/> <input type="text" value=""/> H <input type="text" value=""/> <input type="text" value=""/> M <input type="text" value=""/> <input type="text" value=""/> M POD1?</p> <p>Back in ward: Date: <input type="text" value="2"/> <input type="text" value="0"/> <input type="text" value="1"/> Y <input type="text" value=""/> <input type="text" value=""/> <input type="text" value=""/> M <input type="text" value=""/> <input type="text" value=""/> D <input type="text" value=""/> <input type="text" value=""/> D Time: <input type="text" value=""/> <input type="text" value=""/> H <input type="text" value=""/> <input type="text" value=""/> M <input type="text" value=""/> <input type="text" value=""/> M 6HRS?</p>	<input type="checkbox"/>	<input type="checkbox"/>	<p>If yes to 1 and 2 and 3</p> <ul style="list-style-type: none"> • Give the Outcomes questionnaire to the patient • Complete the Process questionnaire
<p>S2 Patient is consenting age or over</p>	<input type="checkbox"/>	<input type="checkbox"/>	
<p>S3 Patient has given his assent (or consent) to participate</p> <p>If no to S3, mark the reason(s):</p> <p><input type="checkbox"/> a. Patient is not on the ward</p> <p><input type="checkbox"/> b. Patient does not wish to participate¹</p> <p style="margin-left: 20px;"><input type="checkbox"/> b1. too ill</p> <p style="margin-left: 20px;"><input type="checkbox"/> b2. too much pain</p> <p style="margin-left: 20px;"><input type="checkbox"/> b3. other</p> <p><input type="checkbox"/> c. Patient is asleep</p> <p><input type="checkbox"/> d. Patient has visitors</p> <p><input type="checkbox"/> e. It is not possible to communicate with the patient (e.g., patient is deaf, does not read/write in any of the languages in which the Outcomes questionnaire is available)</p> <p><input type="checkbox"/> f. Patient is cognitively impaired (e.g., Downs syndrome, dementia, Alzheimer's disease, Cerebral Palsy)</p> <p><input type="checkbox"/> g. Other, specify: <input style="width: 150px;" type="text"/></p>	<input type="checkbox"/>	<input type="checkbox"/>	<p>If no to 1 or 2 or 3:</p> <ul style="list-style-type: none"> • Do not fill in the rest of the Process questionnaire • Do not give the Outcomes questionnaire to the patient • Input the screening data (up to the point you have reached) into the web mask <p>Special case: If yes to 1 and 2 and 3f and you have permission from the Ethics Committee in your hospital:</p> <ul style="list-style-type: none"> • Complete the Process questionnaire

¹ Remember: You may interview patients who need help, e.g., are too ill or in too much pain or illiterate

DEMOGRAPHIC INFORMATION

D1 Gender <input type="checkbox"/> Male <input type="checkbox"/> Female	D2 Year of birth <input type="text" value="1"/> <input type="text" value="9"/> Y <input type="text" value=""/> <input type="text" value=""/> Y
D3 Weight <input style="width: 50px;" type="text"/> kg	D4 Height <input style="width: 50px;" type="text"/> cm
D5 Nationality (check records) <input style="width: 150px;" type="text"/>	D6 Country of birth (check records) <input style="width: 150px;" type="text"/>
<p>D7 Language of Outcome questionnaire (select one)</p> <p> <input type="checkbox"/> Albanian <input type="checkbox"/> Arabic <input type="checkbox"/> Bahasa Malaysia <input type="checkbox"/> Danish <input type="checkbox"/> Dutch <input type="checkbox"/> English <input type="checkbox"/> Filipino <input type="checkbox"/> Finnish <input type="checkbox"/> French <input type="checkbox"/> German <input type="checkbox"/> Hebrew <input type="checkbox"/> Hindustani <input type="checkbox"/> Icelandic <input type="checkbox"/> Italian <input type="checkbox"/> Korean <input type="checkbox"/> Mandarin <input type="checkbox"/> Romanian <input type="checkbox"/> Russian <input type="checkbox"/> Serbo-Croatian <input type="checkbox"/> Spanish <input type="checkbox"/> Span. Mexico <input type="checkbox"/> Swedish </p>	

BLANK FIELDS

Blank field 1:

Blank field 2:

Blank field 3:

Project phase:

MEDICAL HISTORY

H1 Comorbidities

yes no not possible to obtain the information

If yes, which (check all that apply):

Cancer	<input type="checkbox"/> Cancer
Renal	<input type="checkbox"/> Renal insufficiency or disease without dialysis <input type="checkbox"/> Renal disease requiring dialysis
Psychiatric	<input type="checkbox"/> Affective disorders (depression, anxiety, phobia, PTSD, bipolar disorder) <input type="checkbox"/> Schizophrenia <input type="checkbox"/> Alcohol use disorder <input type="checkbox"/> Current smoker <input type="checkbox"/> Substance abuse of drugs (legal and illegal)
Cardiovascular	<input type="checkbox"/> Hypertension <input type="checkbox"/> Coronary artery disease or myocardial infarction or cerebral vascular accident
Hematology	<input type="checkbox"/> Sickle cell disease
GI disease	<input type="checkbox"/> Liver Cirrhosis <input type="checkbox"/> History or current upper or lower GI ulcer (peptic or duodenal ulcer disease) <input type="checkbox"/> Irritable bowel disease (Crohn's disease, ulcerative colitis)
Pulmonary disease	<input type="checkbox"/> Asthma <input type="checkbox"/> Sleep apnea <input type="checkbox"/> Chronic Obstructive Pulmonary Disease (COPD)
Neurologic	<input type="checkbox"/> Fibromyalgia
Steroid use	<input type="checkbox"/> Regular administration of oral or parenteral corticosteroid medications
Multiple trauma	<input type="checkbox"/> At least 1 fracture(s) / laceration(s) / tissue damage in addition to the current reason for surgery
Other surgery	<input type="checkbox"/> Patient has already undergone another surgery during current hospitalization
	<input type="checkbox"/> Other , specify: <input type="text"/>

H2 Existing condition (check medical record)

Pregnancy, Week: not relevant not possible to obtain the information
 Lactation not relevant not possible to obtain the information

H3 Did the patient receive any opioid(s) before the current admission?

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	Immediate release (PO & other)	Controlled release; (PO & other)
Buprenorphine	<input type="checkbox"/> mg\day	<input type="checkbox"/> $\mu\text{g/hr}$ transdermal
Codeine	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Fentanyl	<input type="checkbox"/> $\mu\text{g/hr}$ transmucosal / intranasal	<input type="checkbox"/> $\mu\text{g/hr}$ transdermal
Hydrocodone	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Hydromorphone	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Morphine	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Oxycodone	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Oxycodone (with Naloxon)	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Pethidine (Meperidine)	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Tapentadol	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Tilidin (w/wo Naloxon)	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Tramadol	<input type="checkbox"/> mg\day	<input type="checkbox"/> mg\day
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>

PRE - MEDICATION

M1 Sedatives (pre-medication)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	p.o.	i.v.
Diazepam	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Clorazepate dipotassium	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Haloperidol	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Lorazepam	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Midazolam	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Promethazine	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Other, specify: <input type="text"/>	<input type="checkbox"/> mg	<input type="checkbox"/> mg

M2 Non-opioids (pre-medication)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	p.o.	i.v.	i.m.	supp.
Celecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Diclofenac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Etoricoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Gabapentin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ibuprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketoprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketorolac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Metamizol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Naproxen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Nefopam	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Paracetamol (Acetaminophen)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Parecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Pregabalin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

PRE - MEDICATION

M3 Opioids (pre-medication)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	Immediate release (PO & other)	Controlled release (PO & other)	i.v.	i.m.	supp.	s.c.
Buprenorphine	<input type="checkbox"/> mg	<input type="checkbox"/> µg/hr	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg
Codeine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Fentanyl	<input type="checkbox"/> µg <small>transmucosal</small>	<input type="checkbox"/> µg/hr <small>transdermal</small>	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg
Hydrocodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Hydromorphone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Morphine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Nalbuphine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Oxycodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Oxycodone (with Naloxon)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Pethidine (Meperidine)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Piritramide	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Sufentanil	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg
Tapentadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Tilidin (w/wo Naloxon)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Tramadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Other, specify: <input style="width: 100px; height: 20px;" type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input style="width: 100px; height: 20px;" type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SURGICAL PROCEDURE(S)

P1 Surgical procedure(s)

use ICD-9 codes link <http://icd9cm.chrisendres.com/index.php?action=proclist>

	ICD-9 Procedure Code		Text (only for your notes, not necessary for mask)
1	<input style="width: 100%; height: 20px;" type="text"/>	1	<input style="width: 100%; height: 20px;" type="text"/>
2	<input style="width: 100%; height: 20px;" type="text"/>	2	<input style="width: 100%; height: 20px;" type="text"/>
3	<input style="width: 100%; height: 20px;" type="text"/>	3	<input style="width: 100%; height: 20px;" type="text"/>
4	<input style="width: 100%; height: 20px;" type="text"/>	4	<input style="width: 100%; height: 20px;" type="text"/>

P2 Duration of surgery

Start surgery:

Date: 2 0 1 Y M M D D

Time: H H M M

End surgery:

Date: 2 0 1 Y M M D D

Time: H H M M

INTRA-OPERATIVE

M4 General anaesthesia (intra-op)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

<input type="checkbox"/> Inhalational	<input type="checkbox"/> IV
---------------------------------------	-----------------------------

M5 Regional anaesthesia (RA) (intra-op)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

<input type="checkbox"/> Epidural	<input type="checkbox"/> Spinal	<input type="checkbox"/> Brachial plexus	<input type="checkbox"/> Femoral
<input type="checkbox"/> Sciatic	<input type="checkbox"/> Paravertebral	<input type="checkbox"/> Other: <input type="text"/>	<input type="checkbox"/> Other: <input type="text"/>

In M8: Mark the RA medication(s) given in the RA column

M6 Non-opioids (intra-op)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	i.v.	i.m.	supp.
Clonidine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Diclofenac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ibuprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketamine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketoprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketorolac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Metamizol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Naproxen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Nefopam	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Paracetamol (Acetaminophen)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Parecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	i.v.	i.m.	supp.

INTRA-OP

M7 Wound infiltration (intra-op)

yes no not possible to obtain the information

If yes, which (multiple answers possible; analgesic is not recorded):

Single shot by surgeon Indwelling catheter Other, specify: Other, specify:

M8 Opioids & local anaesthetics (intra-op)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	RA (see M5)	i.v.	i.m.	s.c.
Alfentanil	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Buprenorphine	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg
Codeine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Fentanyl	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg
Hydrocodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Hydromorphone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Morphine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Nalbuphin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Oxycodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Pethidine (Meperidine)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Piritramid	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Remifentanil	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Sufentanil	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg
Tramadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Bupivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Levobupivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lidocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prilocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ropivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	RA	i.v.	i.m.	s.c.

RECOVERY ROOM

M9 Non-opioids (recovery room)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	p.o.	i.v.	i.m.	supp.
Celecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Clonidine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Diclofenac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Etoricoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Gabapentin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ibuprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketamine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketoprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketorolac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Metamizol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Naproxen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Nefopam	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Paracetamol (Acetaminophen)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Parecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Pregabalin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Other, specify: <input style="width: 150px;" type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input style="width: 150px;" type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	p.o.	i.v.	i.m.	supp.

M10 Regional analgesia (recovery room)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

<input type="checkbox"/> Epidural	<input type="checkbox"/> Spinal	<input type="checkbox"/> Brachial plexus	<input type="checkbox"/> Femoral
<input type="checkbox"/> Sciatic	<input type="checkbox"/> Paravertebral	<input type="checkbox"/> Other: <input style="width: 80px;" type="text"/>	<input type="checkbox"/> Other: <input style="width: 80px;" type="text"/>

In M11: (1) Mark the RA medication(s) given in the RA column
 (2) If the medication was given as PCA, tick appropriate box in the PCA column

RECOVERY ROOM

M11 Opioids & local anaesthetics (recovery room)

yes no not possible to obtain the information

If yes, which (multiple answers possible)

	Immediate release (PO & other)	Controlled release (PO & other)	RA (see M10)	i.v.	i.m.	supp.	s.c.	PCA (see M10)
Buprenorphine	<input type="checkbox"/> mg	<input type="checkbox"/> µg/hr	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/>
Codeine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Fentanyl	<input type="checkbox"/> µg transmucosal	<input type="checkbox"/> µg/hr transdermal	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/>
Hydrocodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Hydromorphone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Morphine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Nalbuphin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Oxycodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Oxycodone (with Naloxone)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Pethidine (Meperidine)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Piritramid	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Sufentanil	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/>
Tapentadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Tilidin (w/wo Naloxon)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Tramadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Bupivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Levobupivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lidocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prilocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ropivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Naloxone (only as an antagonist for respiratory depression)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
	Immediate release (PO & other)	Controlled release (PO & other)	RA	i.v.	i.m.	supp.	s.c.	PCA

WARD

M12 Non-opioids (ward)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	p.o.	i.v.	i.m.	supp.
Celecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Clonidine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Diclofenac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Etoricoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Gabapentin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ibuprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketamine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketoprofen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Ketorolac	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Metamizol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Naproxen	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Nefopam	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Paracetamol (Acetaminophen)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Parecoxib	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Pregabalin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	p.o.	i.v.	i.m.	supp.

M13 Regional analgesia (ward)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

<input type="checkbox"/> Epidural	<input type="checkbox"/> Spinal	<input type="checkbox"/> Brachial plexus	<input type="checkbox"/> Femoral
<input type="checkbox"/> Sciatic	<input type="checkbox"/> Paravertebral	<input type="checkbox"/> Other: <input type="text"/>	<input type="checkbox"/> Other: <input type="text"/>

In M14: (1) Mark the RA medication(s) given in the RA column

(2) If the medication was given as PCA, tick appropriate box in the PCA column

WARD

M14 Opioids & local anaesthetics (ward)

yes no not possible to obtain the information

If yes, which (multiple answers possible):

	Immediate release (PO & other)	Controlled release (PO & other)	RA (see M13)	i.v.	i.m.	supp.	s.c.	PCA (see M13)
Buprenorphine	<input type="checkbox"/> mg	<input type="checkbox"/> µg/hr	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/>	<input type="checkbox"/>
Codeine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Fentanyl	<input type="checkbox"/> µg transmucosal	<input type="checkbox"/> µg/hr transdermal	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg <input type="checkbox"/> µg	<input type="checkbox"/>
Hydrocodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Hydromorphone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Morphine	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Nalbuphin	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Oxycodone	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Oxycodone (with Naloxone)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Pethidine (Meperidine)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Piritramid	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Sufentanil	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/> µg	<input type="checkbox"/>
Tapentadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Tilidin (wwo Naloxon)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Tramadol	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
Bupivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Levobupivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lidocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prilocaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ropivacaine	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input style="width: 100%; height: 20px;" type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other, specify: <input style="width: 100%; height: 20px;" type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Naloxone (only as an antagonist for respiratory depression)	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/> mg	<input type="checkbox"/>
	Immediate release (PO & other)	Controlled release (PO & other)	RA	i.v.	i.m.	supp.	s.c.	PCA

M15 Measurement of pain: Was pain documented as defined in the SOPs?

yes no not possible to obtain the information

WARD

M16 New PCA techniques (ward)

Fentanyl (IONSYS)	<input type="checkbox"/> yes	µg	<input type="checkbox"/> no	<input type="checkbox"/> not possible to obtain the information
Sufentanil (Zalviso)	<input type="checkbox"/> yes	µg	<input type="checkbox"/> no	<input type="checkbox"/> not possible to obtain the information