

Table 1: Mean symptom intensity and scores according to IPOS

Item no	Item	T1 patient	T1 staff	T2 patient	T2 staff
		mean (SD)	mean (SD)	mean (SD)	mean (SD)
		n=169	n=160	n=106	n=100
1	Pain	1.7 (1.1)	1.7 (1.1)	1.6 (1.0)	1.5 (1.1)
2	Shortness of breath	1.0 (1.1)	1.0 (1.1)	0.9 (1.0)	1.0 (1.0)
3	Weakness or lack of energy	2.2 (1.1)	2.4 (1.0)	2.0 (1.2)	2.2 (1.1)
4	Nausea	0.6 (1.0)	0.6 (1.0)	0.6 (1.0)	0.5 (0.8)
5	Vomiting	0.4 (0.9)	0.3 (1.0)	0.3 (0.7)	0.2 (0.6)
6	Poor appetite	1.6 (1.3)	1.8 (1.2)	1.5 (1.2)	1.5 (1.2)
7	Constipation	1.2 (1.2)	1.1 (1.1)	1.1 (1.2)	0.9 (0.9)
8	Sore or dry mouth	1.8 (1.3)	1.0 (1.1)	1.4 (1.2)	1.0 (1.0)
9	Drowsiness	1.6 (1.2)	1.2 (1.0)	1.3 (1.1)	1.1 (1.1)
10	Poor mobility	2.0 (1.2)	2.2 (1.1)	1.7 (1.2)	2.2 (1.1)
11	Patient feeling anxious or worried about illness or treatment	1.7 (1.2)	2.2 (1.1)	1.8 (1.1)	2.0 (1.1)
12	Family or friends been anxious or worried about patient	2.3 (1.2)	2.5 (1.1)	2.1 (1.4)	2.1 (1.1)
13	Patient feeling depressed	1.2 (1.2)	1.6 (1.1)	1.1 (1.1)	1.4 (1.1)
14	Patient feeling at peace	1.3 (1.2)	1.8 (1.1)	1.1 (1.0)	1.7 (1.2)
15	Patient ability to share as much as wanted	0.9 (1.1)	1.5 (1.1)	0.9 (1.0)	1.4 (1.1)
16	Patient access to information	0.7 (1.0)	0.6 (0.7)	0.8 (1.0)	0.5 (0.7)
17	Practical problems	1.0 (1.3)	1.3 (1.3)	1.1 (1.4)	1.2 (1.3)
	Total IPOS score (0 – 68)	23 (8.1)	24.9 (7.6)	21.4 (7.8)	22.53 (7.9)
	Physical subscale score (0 – 40)	13.9 (5.6)	13.2 (4.9)	12.4 (5.7)	12.11 (5.2)
	Emotional subscale score (0 – 16)	6.6 (3.4)	8.2 (3.5)	6.1 (3.2)	7.1 (3.8)
	Communication and problems subscale score (0 – 12)	2.6 (2.4)	3.4 (2.0)	2.8 (2.3)	3.2 (2.2)

SD: standard deviation