Dietary factors and onset of natural menopause: a systematic review and meta-analysis

Giorgia Grisotto

Detailed search strategies used in this review

Overview databases

Embase (Ovid)

exp food/ or exp diet/ or exp dietary intake/ or exp diet therapy/ or exp beverage/ or (diet or dieting* or diets or dietary or nutri* or macro-nutrient* or macro-nutrient* or micro-nutrient* or micro-nutrient* or food or dairy or milk or ((sugar or caloric or energy) and intake) or alcohol* or coffee or caffeine or coffea or tea or beer or wine or juic* or eggs or fruit* or meat or nuts or seeds or vegetable* or drinking behavior* or drinking behaviour*).ti,ab,kw.

AND

early menopause/ or exp premature ovarian failure/ or (((menopaus* or climacter*) adj3 (earl* or late* or age or prematur* or onset or timing)) or "cessation of ovulation" or primary ovarian insufficienc* or premature ovarian failur* or premature ovarian insufficienc* or climacterium praecox or climacterium precox).ti,ab,kw.

NOT (exp animal/ not human/) **NOT** (letter or note or editorial or conference).pt.

Medline (Ovid)

exp Food/ or exp Diet/ or exp Plant Proteins, Dietary/ or exp Diet Therapy/ or Dietary Carbohydrates/ or Dietary Fiber/ or Dietary Sugars/ or exp Beverages/ or (diet or dieting* or diets or dietary or nutri* or macro-nutrient* or macronutrient* or micro-nutrient* or food or dairy or milk or ((sugar or caloric or energy) and intake) or alcohol* or coffee or caffeine or coffea or tea or beer or wine or juic* or eggs or fruit* or meat or nuts or seeds or vegetable* or drinking behavior* or drinking behaviour*).ti,ab,kw.

AND

Menopause, Premature/ or Primary Ovarian Insufficiency/ or (((menopaus* or climacter*) adj3 (earl* or late* or age or prematur* or onset or timing)) or "cessation of ovulation" or primary ovarian insufficienc* or premature ovarian failur* or premature ovarian insufficienc* or climacterium praecox or climacterium precox).ti,ab,kw.

NOT (exp animals/ not humans/) **NOT** (letter or news or comment or editorial or congress).pt.

PubMed

("Food"[Mesh] OR "Diet"[Mesh] OR "Plant Proteins, Dietary"[Mesh] OR "Diet Therapy"[Mesh] OR "Dietary Carbohydrates"[Mesh:NoExp] OR "Dietary Fiber"[Mesh:NoExp] OR "Dietary Sugars"[Mesh:NoExp] OR "Beverages"[Mesh] OR diet[tiab] OR dieting*[tiab] OR diets[tiab] OR dietary[tiab] OR nutri*[tiab] or macronutrient*[tiab] or micronutrient*[tiab] or food[tiab] or dairy[tiab] or milk[tiab] or ((sugar[tiab] or caloric[tiab] or energy[tiab]) AND (intake[tiab])) or alcohol*[tiab] or coffee[tiab] or caffeine[tiab] or tea[tiab] or beer[tiab] or wine[tiab] or juic*[tiab] or eggs[tiab] or fruit*[tiab] or meat[tiab] or nuts[tiab] or vegetable*[tiab] or drinking behavior*[tiab] or drinking behaviour*[tiab])

("Menopause, Premature"[Mesh] OR "Primary Ovarian Insufficiency"[Mesh] OR ((menopaus*[tiab] OR climacter*[tiab]) AND (earl*[tiab] OR late[tiab] OR age[tiab] OR prematur*[tiab] OR onset[tiab] OR timing[tiab])) OR "cessation of ovulation"[tiab] OR primary ovarian insufficienc*[tiab] OR premature ovarian failur*[tiab] OR premature ovarian insufficienc*[tiab] OR climacterium praecox[tiab] OR climacterium precox[tiab])

NOT ("animals"[mesh] NOT "humans"[mesh]) **NOT** (letter[pt] OR news[pt] OR comment[pt] OR editorial[pt] OR congress[pt])

Cochrane CENTRAL

(diet or dieting* or diets or dietary or nutri* or macro-nutrient* or macronutrient* or micro-nutrient* or micro-nutrient* or food or dairy or milk or ((sugar or caloric or energy) AND intake) or alcohol* or coffee or caffeine or coffea or tea or beer or wine or juic* or eggs or fruit* or meat or nuts or seeds or vegetable* or (drinking NEXT behavior*) or (drinking NEXT behaviour*)):ti,ab,kw

AND

(((menopaus* OR climacter*) NEAR/3 (earl* OR late* OR age OR prematur* OR onset OR timing)) OR "cessation of ovulation" OR "primary ovarian insufficiency" OR "premature ovarian failure" OR "premature ovarian insufficiency" OR "climacterium praecox" OR "climacterium precox"):ti,ab,kw

Web of Science Core Collection

TS=(diet or dieting* or diets or dietary or nutri* or macro-nutrient* or macronutrient* or micro-nutrient* or micro-nutrient* or food or dairy or milk or ((sugar or caloric or energy) AND intake) or alcohol* or coffee or caffeine or coffea or tea or beer or wine or juic* or eggs or fruit* or meat or nuts or seeds or vegetable* or (drinking NEAR/2 behavior*))

AND

TS=(((menopaus* OR climacter*) NEAR/3 (earl* OR late* OR age OR prematur* OR onset OR timing)) OR "cessation of ovulation" OR "primary ovarian insufficiency" OR "premature ovarian failure" OR "premature ovarian insufficiency" OR "climacterium precox")

NOT TS=((animal* OR plant* OR rats OR mice OR pigs) NOT (human* OR patient*))

AND DT=(article)

Google scholar

"early|late|premature menopause|menopausal|climacteric"|"timing|onset *
menopause|menopausal|climacterium"
diet|dietary|food|nutrient|coffee|caffeine|coffea|alcohol|wine|beer|dairy|milk|tea|eggs|fruits|meat|vegetable
s|nuts



PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item							
TITLE									
Title	1	Identify the report as a systematic review.	1						
ABSTRACT									
Abstract	2	See the PRISMA 2020 for Abstracts checklist.	3						
INTRODUCTION									
Rationale	3	Describe the rationale for the review in the context of existing knowledge.	4,5						
Objectives	4	Provide an explicit statement of the objective(s) or question(s) the review addresses.							
METHODS									
Eligibility criteria	5	Specify the inclusion and exclusion criteria for the review and how studies were grouped for the syntheses.							
Information sources	6	Specify all databases, registers, websites, organisations, reference lists and other sources searched or consulted to identify studies. Specify the date when each source was last searched or consulted.	5						
Search strategy	7	Present the full search strategies for all databases, registers and websites, including any filters and limits used. 5 Specify the methods used to decide whether a study met the inclusion criteria of the review, including how many reviewers screened each record 6							
Selection process	8	Specify the methods used to decide whether a study met the inclusion criteria of the review, including how many reviewers screened each record and each report retrieved, whether they worked independently, and if applicable, details of automation tools used in the process.							
Data collection process	9	Specify the methods used to collect data from reports, including how many reviewers collected data from each report, whether they worked independently, any processes for obtaining or confirming data from study investigators, and if applicable, details of automation tools used in the process.	6,17,18						
Data items	tata items 10a List and define all outcomes for which data were sought. Specify whether all results that were compatible with each outcome domain in each study were sought (e.g. for all measures, time points, analyses), and if not, the methods used to decide which results to collect.								
	10b	List and define all other variables for which data were sought (e.g. participant and intervention characteristics, funding sources). Describe any assumptions made about any missing or unclear information.	N/A						
Study risk of bias assessment	11	Specify the methods used to assess risk of bias in the included studies, including details of the tool(s) used, how many reviewers assessed each study and whether they worked independently, and if applicable, details of automation tools used in the process.	6,7						
Effect measures	12	Specify for each outcome the effect measure(s) (e.g. risk ratio, mean difference) used in the synthesis or presentation of results.	7						
Synthesis methods	13a	Describe the processes used to decide which studies were eligible for each synthesis (e.g. tabulating the study intervention characteristics and comparing against the planned groups for each synthesis (item #5)).	6, 7						
	13b	Describe any methods required to prepare the data for presentation or synthesis, such as handling of missing summary statistics, or data conversions.	7						
	13c	Describe any methods used to tabulate or visually display results of individual studies and syntheses.	7						
	13d	Describe any methods used to synthesize results and provide a rationale for the choice(s). If meta-analysis was performed, describe the model(s), method(s) to identify the presence and extent of statistical heterogeneity, and software package(s) used.	7						
	13e	Describe any methods used to explore possible causes of heterogeneity among study results (e.g. subgroup analysis, meta-regression).	7						
	13f	Describe any sensitivity analyses conducted to assess robustness of the synthesized results.	N/A						

Reporting bias assessment	14	Describe any methods used to assess risk of bias due to missing results in a synthesis (arising from reporting biases).	6,7
Certainty assessment	15	Describe any methods used to assess certainty (or confidence) in the body of evidence for an outcome.	7



PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item							
RESULTS									
Study selection	16a	Describe the results of the search and selection process, from the number of records identified in the search to the number of studies include the review, ideally using a flow diagram.							
	16b	Cite studies that might appear to meet the inclusion criteria, but which were excluded, and explain why they were excluded.	N/A						
Study characteristics	17	Cite each included study and present its characteristics.	8,9,10						
Risk of bias in studies	18	Present assessments of risk of bias for each included study.	13						
Results of individual studies	19	For all outcomes, present, for each study: (a) summary statistics for each group (where appropriate) and (b) an effect estimate and its precision (e.g. confidence/credible interval), ideally using structured tables or plots.	N/A						
Results of syntheses	20a	For each synthesis, briefly summarise the characteristics and risk of bias among contributing studies.							
	20b	Present results of all statistical syntheses conducted. If meta-analysis was done, present for each the summary estimate and its precision (e.g. confidence/credible interval) and measures of statistical heterogeneity. If comparing groups, describe the direction of the effect.							
	20c	Present results of all investigations of possible causes of heterogeneity among study results.	13						
	20d	Present results of all sensitivity analyses conducted to assess the robustness of the synthesized results.	N/A						
Reporting biases	21	Present assessments of risk of bias due to missing results (arising from reporting biases) for each synthesis assessed.							
Certainty of evidence	22	Present assessments of certainty (or confidence) in the body of evidence for each outcome assessed.	N/A						
DISCUSSION									
Discussion	23a	Provide a general interpretation of the results in the context of other evidence.	13-16						
	23b	Discuss any limitations of the evidence included in the review.	16						
	23c	Discuss any limitations of the review processes used.	16						
	23d	Discuss implications of the results for practice, policy, and future research.	17						
OTHER INFORMAT	TION								
Registration and	24a	Provide registration information for the review, including register name and registration number, or state that the review was not registered.	3,5						
protocol	24b	Indicate where the review protocol can be accessed, or state that a protocol was not prepared.	N/A						
	24c	Describe and explain any amendments to information provided at registration or in the protocol.	N/A						
Support	25	Describe sources of financial or non-financial support for the review, and the role of the funders or sponsors in the review.	1						

Competing interests	26	Declare any competing interests of review authors.	1
Availability of data, code and other materials	27	Report which of the following are publicly available and where they can be found: template data collection forms; data extracted from included studies; data used for all analyses; analytic code; any other materials used in the review.	5

From: Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ 2021;372:n71. doi: 10.1136/bmj.n71

For more information, visit: http://www.prisma-statement.org/

Dietary factors and onset of natural menopause: a systematic review and meta-analysis

Giorgia Grisotto

Supplementary Table 1. The Newcastle Ottawa Scale to evaluate the quality of included prospective cohort studies to assess the effect of diet on age at natural menopause.

A saddle our seed our		Sel	ection		Comparability	Outco	me/ Exp	posure	Total Score
Author, year	1	2	3	4	1	1	2	3	max: 9
Gold et al., 2013	*	*	*	*	**	*	*	*	9
Dorjgochoo et al., 2008	*	*	*	*	**	*	*	*	9
Kinney et al., 2006		*	*	*	**	*	*	*	8
Nagata et al., 2000	*	*		*	**	*	*	*	8
Nagel et al., 2005	*	*		*	**	*	*	*	8
Morris et al., 2012	*	*		*	**	*	*	*	8
Boutot et al., 2017		*		*	**	*	*	*	7
Purdue-Smith et al., 2017		*		*	**	*	*	*	7
Purdue-Smith et al., 2018		*		*	**	*	*	*	7
Pearce et al., 2016	*	*	*	*	**		*		7
Nagata et al., 2012	*	*		*	**	*	*		7
Lujan-Barroso et al., 2018	*	*	*	*	**			*	7
Carwile et al., 2013		*		*	**	*	*	*	7
Dunneram et al., 2018	*	*		*	**	*			6
Dunneram et al., 2021	*	*		*	**	*			6