

Supplementary materials. Search strategies applied in each database, from Santos et al., (2019). Reprinted with permission of the European Journal of Cardiovascular Nursing. Copyright © 2019 SAGE Publisher.

BIBLIOGRAPHIC DATABASES

- EMBASE.com

('heart failure'/de OR 'acute heart failure'/de OR 'cardiopulmonary insufficiency'/de OR 'cardiorenal syndrome'/de OR 'congestive heart failure'/exp OR 'diastolic dysfunction'/exp OR 'forward heart failure'/de OR 'heart outflow tract obstruction'/exp OR 'heart ventricle failure'/exp OR 'heart ventricle overload'/exp OR 'high output heart failure'/de OR 'systolic dysfunction'/exp OR ("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure"):ab,ti OR (HF OR CHF):ti) AND (((('symptom'/de OR 'asthenia'/dm_et OR 'fatigue'/dm_et OR 'weakness'/dm_et OR 'edema'/dm_et OR 'ankle edema'/dm_et OR 'leg edema'/dm_et OR 'dyspnea'/dm_et OR 'body weight'/de OR 'weight change'/de OR 'weight fluctuation'/de OR 'weight gain'/de OR 'weight reduction'/de OR 'weight variation'/de OR 'delayed diagnosis'/de OR (symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath NEAR/2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical NEAR/2 sensation*)):ab,ti) AND ('self evaluation'/de OR 'awareness'/de OR 'perception'/de OR ((self NEXT/2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* NEXT/3 (perception* OR perceive* OR interpret*)) OR (Patient* NEXT/1 (recogni* OR aware* OR interpret* OR apprais* OR understand*)):ab,ti)) OR ((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR "breath shortness" OR "short of breath" OR "shortness of breath" OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR "physical sensation*") NEAR/4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)):ab,ti OR (((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR "breath shortness" OR "short of breath" OR "shortness of breath" OR orthopnea OR weight OR fatigue OR asthenia OR Weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR "physical sensation*") NEAR/3 (detect* OR assess* OR monitor* OR manage* OR apprais*)):ab,ti AND (self:ab,ti OR 'self care'/de OR 'self monitoring'/de)) OR "Body listening":ab,ti OR "body awareness":ab,ti OR ((symptom OR symptoms) NEXT/1 experience*):ab,ti OR (somatic NEXT/3 (perception* OR recognition OR awareness)):ab,ti OR (((help OR care OR treatment) NEAR/3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*)):ab,ti)

1958 references on 21.08.2018

- Medline Ovid SP
Ovid MEDLINE(R) Epub Ahead of Print, In-Process & Other Non-Indexed Citations,
Ovid MEDLINE(R) Daily and Ovid MEDLINE(R) 1946 to Present

(Exp "Heart Failure"/ OR (Heart failure OR Cardiac Failure OR Heart Decompensation OR Myocardial Failure).ab,ti. OR (HF OR CHF).ti.) AND ("Diagnostic Self Evaluation"/ OR ("Signs and Symptoms"/ OR "Symptom Assessment"/ OR exp Heart Failure/co OR "Body Weight"/et OR exp "Body Weight Changes"/et OR "Dyspnea"/et OR "Fatigue"/et OR "Asthenia"/et OR "Muscle Weakness"/et OR "Edema"/et OR "Delayed Diagnosis"/ OR (symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)).ab,ti.) AND ("Self-Assessment"/ OR "Awareness"/ OR "Perception"/ OR ((self ADJ2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* ADJ3 (perception* OR perceive* OR interpret*)) OR (Patient* ADJ (recogni* OR aware* OR interpret* OR apprais* OR understand*))).ab,ti.) OR ((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR Weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)) ADJ4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)).ab,ti. OR (((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)) ADJ3 (detect* OR assess* OR monitor* OR manage* OR apprais*)).ab,ti. AND (self.ab,ti. OR "Self Care"/ OR "Self-Assessment"/)) OR (Body listening OR body awareness OR ((symptom OR symptoms) ADJ experience*) OR (somatic ADJ3 (perception* OR recognition OR awareness)) OR (((help OR care OR treatment) ADJ3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*))).ab,ti.)

947 references on 21.08.2018

- PubMed

Research limited to references not indexed on Medline : NOT medline[sb]

(Heart failure[tiab] OR Cardiac Failure[tiab] OR Heart Decompensation[tiab] OR Myocardial Failure[tiab] OR HF[ti] OR CHF[ti]) AND (((symptom*[tiab] OR signs[tiab] OR dyspnea*[tiab] OR dyspnoea*[tiab] OR breathless[tiab] OR breathless[tiab] OR "breath shortness"[tiab] OR "short of breath"[tiab] OR "shortness of breath"[tiab] OR orthopnea[tiab] OR weight[tiab] OR fatigue[tiab] OR asthenia[tiab] OR weakness[tiab] OR "lack of energy"[tiab] OR drowsy[tiab] OR sleepy[tiab] OR edema*[tiab] OR oedema*[tiab] OR swelling[tiab] OR worsening[tiab] OR exacerbat*[tiab] OR physical sensation*[tiab] OR somatic[tiab]) AND perception*[tiab]) OR perceive symptom*[tiab] OR perceived symptom*[tiab] OR symptom recogni*[tiab] OR symptom aware*[tiab] OR symptoms recogni*[tiab] OR Body listening[tiab] OR body awareness[tiab] OR symptom experience*[tiab] OR symptoms experience*[tiab] OR somatic awareness[tiab] OR symptom interpret*[tiab] OR symptoms interpret*[tiab] OR symptom label*[tiab] OR symptoms label*[tiab] OR ((symptom detect*[tiab] OR symptom assess*[tiab] OR symptom monitor*[tiab] OR symptom manage*[tiab] OR symptom apprais*[tiab] OR symptoms detect*[tiab] OR symptoms assess*[tiab] OR symptoms manage*[tiab]) AND self[tiab]) OR ((patient recogni*[tiab] OR patient aware*[tiab] OR patient interpret*[tiab] OR patient apprais*[tiab]) AND (symptom*[tiab] OR signs[tiab] OR dyspnea*[tiab] OR dyspnoea*[tiab] OR breathless[tiab] OR breathless[tiab] OR "breath shortness"[tiab] OR "short of breath"[tiab] OR "shortness of breath"[tiab] OR orthopnea[tiab] OR weight[tiab] OR fatigue[tiab] OR asthenia[tiab] OR weakness[tiab] OR "lack of energy"[tiab] OR drowsy[tiab] OR sleepy[tiab] OR edema*[tiab] OR oedema*[tiab] OR swelling[tiab] OR worsening[tiab] OR exacerbat*[tiab] OR physical sensation*[tiab]))) NOT "medline"[Filter]

63 references on 21.08.2018

- Cochrane Library Wiley

Cochrane Database of Systematic Reviews Issue 8 of 12, August 2018

Cochrane Central Register of Controlled Trials Issue 7 of 12, July 2018

((("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure"):ab,ti OR (HF OR CHF):ti) AND (((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath NEAR/2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical NEAR/2 sensation*)):ab,ti AND ((self NEXT/2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* NEXT/3 (perception* OR perceive* OR interpret*)) OR (Patient* NEXT/1 (recogni* OR aware* OR interpret* OR apprais* OR understand*)):ab,ti) OR ((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR "breath shortness" OR "short of breath" OR "shortness of breath" OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR "physical sensation*") NEAR/4

(perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*):ab,ti OR
(((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR "breath
shortness" OR "short of breath" OR "shortness of breath" OR orthopnea OR weight OR
fatigue OR asthenia OR Weakness OR "lack of energy" OR drowsy OR sleepy OR edema*
OR oedema* OR swelling OR worsening OR exacerbat* OR "physical sensation*") NEAR/3
(detect* OR assess* OR monitor* OR manage* OR apprais*)):ab,ti AND (self:ab,ti)) OR
"Body listening":ab,ti OR "body awareness":ab,ti OR ((symptom OR symptoms) NEXT/1
experience*):ab,ti OR (somatic NEXT/3 (perception* OR recognition OR awareness)):ab,ti
OR (((help OR care OR treatment) NEAR/3 seek*) AND (earl* OR delay* OR decision* OR
behavior* OR symptom*)):ab,ti)

234 references on 21.08.2018

- PsycINFO Ovid SP
PsycINFO 1806 to August Week 2 2018

((Heart failure OR Cardiac Failure OR Heart Decompensation OR Myocardial Failure).ab,ti. OR (HF OR CHF).ti.) AND (((symptoms/ OR exp asthenia/ or dyspnea/ OR fatigue/ OR respiratory distress/ OR edema/ OR body weight/ or weight gain/ or weight loss/ OR (symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)).ab,ti.) AND (self-evaluation/ OR awareness/ OR self-perception/ OR ((self ADJ2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* ADJ3 (perception* OR perceive* OR interpret*)) OR (Patient* ADJ (recogni* OR aware* OR apprais*))).ab,ti.)) OR ((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)) ADJ4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)).ab,ti. OR (((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)) ADJ3 (detect* OR assess* OR monitor* OR manage* OR apprais*)).ab,ti. AND (self.ab,ti. OR self-management/ or self-monitoring/ OR self-care skills/)) OR (Body listening OR body awareness OR ((symptom OR symptoms) ADJ experience*) OR (somatic ADJ3 (perception* OR recognition OR awareness)) OR (((help OR care OR treatment) ADJ3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*))).ab,ti. OR body awareness/)

205 references on 21.08.2018

- CINAHL - Ebsco

(MH "Heart Failure+" OR TI ("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure") OR AB ("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure") OR TI (HF OR CHF)) AND (MH "Self Diagnosis" OR ((MH "Signs and Symptoms" OR MH "Heart Failure+/CO" OR MH "Asthenia/ET" OR MH "Body Weight Changes+/ET" OR MH "Edema/ET" OR MH "Fatigue/ET" OR MH "Muscle Weakness/ET" OR MH "Dyspnea/ET" OR MH "Diagnosis, Delayed" OR TI (symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath N2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical N2 sensation*)) OR AB (symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath N2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical N2 sensation*))) AND (MH "Self Assessment" OR MH "Perception" OR TI ((self N2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* N3 (perception* OR perceive* OR interpret*)) OR (Patient*N1 (recogni* OR aware* OR apprais*))) OR AB ((self N2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* N3 (perception* OR perceive* OR interpret*)) OR (Patient*N1 (recogni* OR aware* OR apprais*)))) OR TI ((Symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath N2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical N2 sensation*)) N4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)) OR AB ((Symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath N2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical N2 sensation*)) N4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)) OR ((TI ((Symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath N2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical N2 sensation*)) N3 (detect* OR assess* OR monitor* OR manage* OR apprais*)) OR AB ((Symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath N2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical N2 sensation*)) N3 (detect* OR assess* OR monitor* OR manage* OR apprais*))) AND (TI self OR AB self OR MH "Self Care")) OR TI ("Body listening" OR "body awareness" OR ((symptom OR symptoms) W1 experience*) OR (somatic W3 (perception* OR recognition OR awareness OR sensation*)) OR (((help OR care OR treatment) N3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*)) OR AB ("Body listening" OR "body awareness" OR ((symptom OR symptoms) W1 experience*) OR (somatic W3 (perception* OR recognition OR awareness OR sensation*)) OR (((help OR care OR treatment) N3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*))))

533 references on 21.08.2018

- Web of Science Core collection

(TS=("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure") OR TI=("HF" OR "CHF")) AND TS=(((("symptom" OR "symptoms" OR "signs" OR "dyspnea*" OR "dyspnoea*" OR "breathless" OR ("breath" NEAR/2 "short*") OR "orthopnea" OR "weight" OR "fatigue" OR "asthenia" OR "weakness" OR "lack of energy" OR "drowsy" OR "sleepy" OR "edema*" OR "oedema*" OR "swelling" OR "worsening" OR "exacerbat*" OR (physical NEAR/2 sensation*)) AND (("self" NEAR/2 ("evaluation" OR "appraisal" OR "assessment" OR "diagnosis" OR "decision*")) OR ("patient*" NEAR/2 ("perception*" OR "perceive*" OR "interpret*")) OR ("Patient*" NEAR/1 ("recogni*" OR "aware*" OR "apprais*")))) OR ((("symptom" OR "symptoms" OR "signs" OR "dyspnea*" OR "dyspnoea*" OR "breathless" OR ("breath" NEAR/2 "short*") OR "orthopnea" OR "weight" OR "fatigue" OR "asthenia" OR "weakness" OR "lack of energy" OR "drowsy" OR "sleepy" OR "edema*" OR "oedema*" OR "swelling" OR "worsening" OR "exacerbat*" OR (physical NEAR/2 sensation*)) NEAR/4 ("perception*" OR "perceive*" OR "recogni*" OR "aware*" OR "interpret*" OR "label*")) OR (((("symptom" OR "symptoms" OR "signs" OR "dyspnea*" OR "dyspnoea*" OR "breathless" OR ("breath" NEAR/2 "short*") OR "orthopnea" OR "weight" OR "fatigue" OR "asthenia" OR "weakness" OR "lack of energy" OR "drowsy" OR "sleepy" OR "edema*" OR "oedema*" OR "swelling" OR "worsening" OR "exacerbat*" OR (physical NEAR/2 sensation*)) NEAR/2 ("detect*" OR "assess*" OR "monitor*" OR "manage*" OR "apprais*")) AND "self") OR "Body listening" OR "body awareness" OR ((("symptom" OR "symptoms") NEAR/1 "experience*") OR ("somatic" NEAR/2 ("perception*" OR "recognition" OR "awareness")) OR (((("help" OR "care" OR "treatment") NEAR/2 "seek*") AND ("earl*" OR "delay*" OR "decision*" OR "behavior*" OR "symptom*"))))

1147 references on 21.08.2018

- Joanna Briggs Institute EBP Database Ovid SP

(Heart failure OR Cardiac Failure OR Heart Decompensation OR Myocardial Failure).mp.
AND (((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)) AND ((self ADJ2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* ADJ3 (perception* OR perceive* OR interpret*)) OR (Patient* ADJ (recogni* OR aware* OR interpret* OR apprais* OR understand*)))) OR ((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath ADJ2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR Weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical ADJ2 sensation*)) ADJ4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)) OR Body listening OR body awareness OR ((symptom OR symptoms) ADJ experience*) OR (somatic ADJ3 (perception*

OR recognition OR awareness)) OR (((help OR care OR treatment) ADJ3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*))).mp.

69 references on 28.09.2017

GREY LITERATURE DATABASES

- ProQuest dissertations and theses

(ALL("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure") OR TI,AB(HF OR CHF)) AND ALL(((symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath NEAR/2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical PRE/2 sensation*)) AND ((self PRE/2 (evaluation OR appraisal OR assessment OR diagnosis OR decision*)) OR (patient* PRE/3 (perception* OR perceive* OR interpret*)) OR (Patient* PRE/1 (recogni* OR aware* OR OR apprais*)))) OR ((Symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath NEAR/2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical PRE/2 sensation*)) NEAR/4 (perception* OR perceive* OR recogni* OR aware* OR interpret* OR label*)) OR (((Symptom OR symptoms OR signs OR dyspnea* OR dyspnoea* OR breathless OR (breath NEAR/2 short*) OR orthopnea OR weight OR fatigue OR asthenia OR weakness OR "lack of energy" OR drowsy OR sleepy OR edema* OR oedema* OR swelling OR worsening OR exacerbat* OR (physical PRE/2 sensation*)) NEAR/3 (detect* OR assess* OR monitor* OR manage* OR apprais*)) AND self) OR "Body listening" OR "body awareness" OR ((symptom OR symptoms) PRE/1 experience*) OR (somatic PRE/3 (perception* OR recognition OR awareness)) OR (((help OR care OR treatment) NEAR/3 seek*) AND (earl* OR delay* OR decision* OR behavior* OR symptom*))

123 references on 28.09.2017

- BASE - Bielefeld University Library
(Limited on text documents, option "Find additional word forms" not activated)

("symptom perception" "symptom interpretation" "symptoms perception" "symptoms interpretation" "symptom recognition" "symptom awareness" "somatic awareness" "Body listening" "care seeking" "help seeking" "patient understanding") tit:("Heart failure" "Cardiac Failure" "Heart Decompensation" "Myocardial Failure") doctype:1*

68 references on 03.10.2017

- DART-Europe E-theses Portal

("Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure")
AND (symptom* OR somatic) AND (perception OR awareness OR interpret* OR recognition
OR labeling OR "Body listening" OR "symptom experience" OR "symptoms experience" OR
"symptom experiences" OR "symptom recognition" OR "symptoms recognition" OR labeling
OR "care seeking" OR "help seeking" OR "patient understanding")

18 references on 04.10.2017

- Clinicaltrials.gov

"Heart failure" OR "Cardiac Failure" OR "Heart Decompensation" OR "Myocardial Failure"
(symptom OR symptoms OR somatic) AND (perception OR awareness OR recognition)

40 references on 04.10.2017

- ICTRP: WHO International Clinical Trials Registry Platform

Heart failure AND Symptom AND perception OR HEART FAILURE AND Symptoms AND
perception OR HEART FAILURE AND Symptom AND recognition OR HEART FAILURE
AND Symptoms AND recognition OR HEART FAILURE AND Symptom AND awareness OR
HEART FAILURE AND Symptoms AND awareness OR HEART FAILURE AND Somatic
AND perception OR HEART FAILURE AND somatic AND awareness

9 references on 04.10.2017